<u>REMARKS</u>

Reconsideration of the pending application is respectfully requested on the basis of

the following particulars:

Rejection of claims 1-3, 5-7, and 10-26 under 35 U.S.C. § 102(e)

Claims 1-3, 5-7, and 10-26 presently stand rejected as being anticipated by Pearson

et al. (U.S. 5,991,408). This rejection is respectfully traversed for at least the following

reasons.

Claims 1 and 20 is amended to clarify that a biometric feature is subjected to fault

tolerant encoding/decoding, wherein in the course of an authentication phase initialization

biometric feature data is recovered from biometric data entered during authentication

(digitized biometric authentication feature data) according to a coding-theory method

within a freely selectable tolerance interval, and the recovered data used to further

decrypt an encrypted code word and extract a secret data. Support for these amendments

is found at lines 11-18 of page 7 of the original specification, and more generally at pages

7-11 of the original specification.

It is respectfully submitted that Pearson fails to disclose or suggest the method for

protecting data as claimed. In particular, it is respectfully submitted that Pearson fails to

disclose or suggest any recovery of an original representation of a biometric feature

(generated during an initialization phase) by extracting the original representation from an

authentication sample according to a coding-theory method within a freely selectable

tolerance interval.

Pearson does not disclose or suggest any encryption/decryption of a biometric

feature or of biometric feature data. Pearson represents a biometric feature (in particular, a

fingerprint) by encoding minutiae of the fingerprint as vertices in a graph. Vertices in the

graph are connected to form a clique. (see Pearson; col. 6, lines 25-45). Applicant

respectfully submits that this is simply a method of representing the biometric feature, but

Application No.: 10/049,632

Examiner: B. S. Hoffman

Art Unit: 2136

not a method of encrypting the biometric feature and more particularly is not a method of

fault-tolerantly encrypting the biometric feature.

It can be recognized that a clique corresponds, essentially, to a representation of a

fingerprint. Pearson does not perform any encryption or decryption of the clique, and

more particularly performs no fault-tolerant encryption or decryption of the clique.

Instead, the clique is "camouflaged through the addition of vertices and edges to the

graph." (Pearson; col. 6, lines 60-61). This does not alter the clique itself, but simply

"[makes] it more difficult to find the clique camouflaged in the graph." (see Pearson; col.

7, lines 9-10). Therefore, while the clique is hidden, it is not encrypted/decrypted and is

not fault-tolerantly encrypted/decrypted.

Pearson does not recover an initialization-time biometric data from an

authentication-time biometric data on the basis of a coding-theory method within a freely

selectable tolerance interval.

In a method for authentication or identification, Pearson matches a user fingerprint

(input during the authentication or identification) to an "instance of a problem" which is,

essentially, the initialization-time representation of the fingerprint (or clique),

camouflaged by additional camouflage vertices and edges. "This is done by determining

if the vertices in representation of user fingerprint 416 match any of the vertices in the

instance of the problem loaded in step 510. If a match is found then it is determined if the

matching vertices form a clique. If they do form a clique then the instance of the problem

is solved." (Pearson; col. 8, lines 37-44).

While Pearson allows for correction for variations, this is different from extracting

an original (initialization-time) biometric data from an authentication-time biometric data

by a coding-theory method within a freely selectable tolerance interval (a fault-tolerant

decryption of the authentication-time biometric data). Pearson does not disclose or

suggest any extraction from an authentication-time biometric data by a coding-theory

method within a freely selectable tolerance interval. Pearson "uses the vertices that match

to help locate more vertices in the clique in the instance of the problem." (Pearson; col. 8,

Application No.: 10/049,632

Examiner: B. S. Hoffman

Art Unit: 2136

lines 58-60). "This is accomplished by determining if vertices in instance of problem 418

which are closest to unmatched vertices in representation of user fingerprint 416 are

vertices in the clique in instance of problem 418."

In solving the problem, Pearson simply identifies which of several "instances of

the problem," if any, most closely match an authentication-time fingerprint scan. This

requires storage of each "instance of the problem," wherein each "instance of the

problem" is a complete representation of the user's initialization-time fingerprint scan.

It is respectfully submitted that, therefore, Pearson's matching of an

authentication-time fingerprint scan to an initialization-time fingerprint scan is entirely

different from the presently claimed invention wherein initialization-time biometric data is

extracted from an authentication-time biometric data on the basis of a coding-theory

method within a freely selectable tolerance interval.

For at least these reason, it is respectfully submitted that Pearson fails to disclose

or suggest each and every element set forth in the independent claims 1 and 20, or their

respective dependent claims. Accordingly, it is respectfully submitted that claims 1-26 are

allowable over the cited reference, and withdrawal of the rejection is requested.

Rejection of claims 4, 8, and 9 under 35 U.S.C. § 103(a)

Claims 4, 8, and 9 presently stand rejected as being unpatentable over Pearson in

view of Camp, Jr. et al. (U.S. 6,075,987). This rejection is respectfully traversed for at

least the following reasons.

As discussed above, Pearson fails to disclose or suggest each and every element set

forth in claim 1. Accordingly, Pearson fails to form a prima facie case of obviousness of

claim 1, or claims 4, 8, and 9 which depend from claim 1.

It is respectfully submitted that Camp fails to supplement the deficiencies of

Pearson with regard to the features discussed above, and therefore Pearson and camp

together fail to form a prima facie case of obviousness of claim 1, or claims 4, 8, and 8.

Therefore, it is respectfully submitted that claims 4, 8, and 9 are allowable over the cited

Application No.: 10/049,632

Examiner: B. S. Hoffman

Art Unit: 2136

references at least due to their dependency from claim 1, and withdrawal of the rejection is

requested.

Conclusion

In view of the amendments to the claims, and in further view of the foregoing

remarks, it is respectfully submitted that the application is in condition for allowance.

Accordingly, it is requested that claims 1-26 be allowed and the application be passed to

issue.

If any issues remain that may be resolved by a telephone or facsimile

communication with the Applicant's attorney, the Examiner is invited to contact the

undersigned at the numbers shown.

Respectfully submitted,

BACON & THOMAS, PLLC 625 Slaters Lane, Fourth Floor

Alexandria, Virginia 22314-1176

Phone: (703) 683-0500

/John R. Schaefer, Reg. #47,921/

Date: December 4, 2008

JOHN R. SCHAEFER Attorney for Applicant Registration No. 47,921